

MODERN ARCHITECTURAL SYSTEMS



Total solution for the fenestration industry



GEETA Aluminium Company Pvt. Ltd.

Specially Curated Range of Aluminium Systems
Windows, Doors, Mesh, Balustrade, Flashing, Sunshade & more

TABLE OF CONTENTS

About Us	01
Product Comparison Matrix	02-03
Slimo Sliding Series 	04-05
50mm Sliding Series	06-07
Slim Sliding Series 	08-23
Sliding Folding	24-25
Slimo Casement 	26-27
Casement Series (windows/Doors)	27-41
Tilt & Turn Windows	42-43
Combination Window	44-53
18mm KPa Monolithic Combination Window	54-55
Balustrade 	56-57
Flashing 	58-59
Sunshade Screens 	60-61
Pleated Mesh	62-63
Metal Screen	
Facia	
Flood Barriers	
Ventilators	
Trellis	

ABOUT US

For over 60 years, Geeta Aluminium has contributed to India's evolving architectural landscape through innovative aluminium systems designed for performance, durability, and aesthetics.

Today, with a strong nationwide network and decades of industry expertise, we continue to deliver engineered solutions that meet the needs of modern residential, commercial, and institutional projects.

WHY GEETA ALUMINIUM?



60+ Years of Industry
Leadership



Trusted
since 1964



Pan India
Presence



40+ Cities through partner
and fabricator network



Complete System
Solutions



Windows, Doors, Balustrades,
Screens, Sunshades & Flashings



Engineering
Support



Project-specific
technical assistance



Quality Hardware
Integration



European and premium
hardware compatibility



Strong Supply
Chain



Nationwide delivery and
after-sales support

PRODUCT COMPARISON MATRIX


GEETA SLIDING SERIES						
SR. NO.	WINDOW SERIES	WINDOW TYPE	MAX SHUTTER SIZE	WIND LOAD	WATER TIGHTNESS	GLASS TYPE
1	GEETA SLIDING SERIES	2TR + 2SH/4SH	1500MM X 3000MM	2000PA (2T 2S/4S)	300PA(STEP SILL)	SGU 6 MM TO 13.52 MM
		3TR + 3SH/6SH	1500MM X 3000MM	2000PA (3T 3S/6S)	300PA(STEP SILL)	SGU 6 MM TO 13.52 MM
2	GEETA 50X100 MM SLIDING SERIES	2TR + 2SH/4SH	1800MM X 3800MM	2000PA (2T 2S/4S)	300PA(STEP SILL)	SGU 6 MM TO 13.52 MM DGU UP TO 32 MM
		3TR + 3SH/6SH	1800MM X 3800MM	2000PA (3T 3S/6S)	300PA(STEP SILL)	SGU 6 MM TO 13.52 MM DGU UP TO 32 MM
		4TR + 4SH/8SH	1800MM X 3800MM	2000PA (4T 4S/8S)	300PA(STEP SILL)	SGU 6 MM TO 13.52 MM DGU UP TO 32 MM
3	GEETA 38 MM SLIDING SERIES	2TR + 2SH/4SH	1000MM X 2500MM	2000PA (2T 2S/4S)	300PA(STEP SILL)	SGU 6 MM TO 13.52 MM DGU UP TO 28 MM
		3TR + 3SH/6SH	1000MM X 2500MM	2000PA (2T 3S/6S)	300PA(STEP SILL)	SGU 6 MM TO 13.52 MM DGU UP TO 28 MM
4	GEETA 35X75 MM SLIDING SERIES	2TR + 2SH/4SH	1500MM X 3000MM	2000PA (2T 4S)	300PA(STEP SILL)	SGU 6 MM TO 13.52 MM DGU UP TO 22 MM
		3TR + 3SH/6SH	1500MM X 3000MM	2000PA (3T 3S/6S)	300PA(STEP SILL)	SGU 6 MM TO 13.52 MM DGU UP TO 22 MM
		4TR + 4SH/8SH	1500MM X 3000MM	2000PA (2T 4S/8S)	300PA(STEP SILL)	SGU 6 MM TO 13.52 MM DGU UP TO 22 MM
5	GEETA 30X63 MM SLIDING SERIES	2.5 TR + 2SH/4SH	1000MM X 2500MM	2000PA (2.5 T 2S/4S)	300PA(STEP SILL)	SGU 6 MM TO 13.52 MM DGU UP TO 22 MM
		3.5 TR + 3SH/6SH	1000MM X 2500MM	2000PA (3.5 T 3S/6S)	300PA(STEP SILL)	SGU 6 MM TO 13.52 MM DGU UP TO 22 MM
		4.5 TR + 4SH/8SH	1000MM X 2500MM	2000PA (4.5 T 4S/8S)	300PA(STEP SILL)	SGU 6 MM TO 13.52 MM DGU UP TO 22 MM
6	GEETA 27X60 MM SLIDING SERIES	2TR + 2SH/4SH	1200MM X 2200MM	1500PA (2T 4S)	300PA(STEP SILL)	SGU 6 MM TO 13.52 MM DGU UP TO 16 MM
		3TR + 3SH/6SH	1200MM X 2200MM	1500PA (3T 3S/6S)	300PA(STEP SILL)	SGU 6 MM TO 13.52 MM DGU UP TO 16 MM
		4TR + 4SH/8SH	1200MM X 2200MM	1500PA (4T 8S)	300PA(STEP SILL)	SGU 6 MM TO 13.52 MM DGU UP TO 16 MM
7	GEETA 25X54 MM SLIDING SERIES	2TR + 2SH/4SH	900MM X 1800MM	1500PA (2T 4S)	300PA(STEP SILL)	SGU 6 MM TO 13.52 MM DGU UP TO 16 MM
		3TR + 3SH/6SH	900MM X 1800MM	1500PA (2T 4S)	300PA(STEP SILL)	SGU 6 MM TO 13.52 MM DGU UP TO 16 MM
		4TR + 4SH/8SH	900MM X 1800MM	1500PA (2T 4S)	300PA(STEP SILL)	SGU 6 MM TO 13.52 MM DGU UP TO 16 MM
8	GEETA 25X50 MM PROJECT SLIDING SERIES	2TR + 2SH/4SH	900MM X 1800MM	NA	NA	SGU 5 MM & 6 MM
		3TR + 3SH/6SH	900MM X 1800MM	NA	NA	SGU 5 MM & 6 MM
		4TR + 4SH/8SH	900MM X 1800MM	NA	NA	SGU 5 MM & 6 MM
9	GEETA 18X40 MM SLIDING MONOLITHICK SERIES	2TR + 2SH/4SH +BOTTOM FIX	900MM X 1800MM	NA	NA	SGU 5 MM & 6 MM
		3TR + 3SH/6SH +BOTTOM FIX	900MM X 1800MM	NA	NA	SGU 5 MM & 6 MM
		4TR + 4SH/8SH +BOTTOM FIX	900MM X 1800MM	NA	NA	SGU 5 MM & 6 MM

Product Comparison Matrix

GEETA CASEMENT SERIES						
SR. NO.	WINDOW SERIES	WINDOW TYPE	MAX SHUTTER SIZE	WIND LOAD	WATER TIGHTNESS	GLASS TYPE
1	GEETA SLIMO CASEMENT	SINGLE SHUTTER	900MM X 1500MM	1500PA	300PA(STEP SILL)	SGU 6 MM TO 12 MM
		DOUBLE SHUTTER	900MM X 1800MM	1500PA	300PA(STEP SILL)	SGU 6 MM TO 12 MM
		FIXED	1200MM X 2400MM	1500PA	300PA(STEP SILL)	SGU 6 MM TO 12 MM
2	GEETA 52 EG CASEMENT	SINGLE SHUTTER	1000MM X 1600MM	2000PA	300PA(STEP SILL)	SGU 6 MM TO 13.52 MM DGU UP TO 32 MM
		DOUBLE SHUTTER	1000MM X 1600MM	2000PA	300PA(STEP SILL)	SGU 6 MM TO 13.52 MM DGU UP TO 30 MM
		TILT & TURN	1000MM X 1600MM	2000PA	300PA(STEP SILL)	SGU 6 MM TO 13.52 MM DGU UP TO 30 MM
		FIXED	1500MM X 1800MM	2000PA	300PA(STEP SILL)	SGU 6 MM TO 13.52 MM DGU UP TO 30 MM
3	GEETA 52 EG DOOR	SINGLE SHUTTER	1000MM X 3000MM	1500PA	300PA(STEP SILL)	SGU 6 MM TO 13.52 MM DGU UP TO 32 MM
		DOUBLE SHUTTER	1000MM X 3000MM	1500PA	300PA(STEP SILL)	SGU 6 MM TO 13.52 MM DGU UP TO 32 MM
4	GEETA 40MM W/O BEADING CASEMENT SERIES	SINGLE SHUTTER	900MM X 1500MM	2500PA	300PA(STEP SILL)	SGU 6 MM
		DOUBLE SHUTTER	900MM X 1500MM	2500PA	300PA(STEP SILL)	SGU 6 MM
		FIXED	1000MM X 2400MM	2500PA	300PA(STEP SILL)	SGU 6 MM
5	GEETA 40MM CASEMENT SERIES	SINGLE SHUTTER	900MM X 1500MM	1500PA	300PA(STEP SILL)	SGU 6 MM TO 13.52 MM DGU UP TO 24 MM
		DOUBLE SHUTTER	900MM X 1800MM	1500PA	300PA(STEP SILL)	SGU 6 MM TO 13.52 MM DGU UP TO 24 MM
		FIXED	1200MM X 2400MM	1500PA	300PA(STEP SILL)	SGU 6 MM TO 13.52 MM DGU UP TO 24 MM
6	GEETA GEETA 40MM DOOR	SINGLE SHUTTER	900MM X 2200MM	2200MM	NA	SGU 6 MM TO 13.52 MM DGU UP TO 24 MM
		DOUBLE SHUTTER	900MM X 2200MM	2200MM	NA	SGU 6 MM TO 13.52 MM DGU UP TO 24 MM
7	GEETA GEETA 29MM CASEMENT SERIES	SINGLE SHUTTER	750MM X 1200MM	1200MM	NA	SGU 6 MM
		DOUBLE SHUTTER	750MM X 1200MM	1200MM	NA	SGU 6 MM
8	GEETA GEETA 25MM CASEMENT PROJECT SERIES	SINGLE SHUTTER	750MM X 1200MM	1200MM	NA	SGU 6 MM
		DOUBLE SHUTTER	750MM X 1200MM	1200MM	NA	SGU 6 MM

SLIMO SLIDING SERIES

Assembling Drawing

























Technical Specifications



- ◆ Available in 2 track and 3 track frames
- ◆ Maximum Shutter Dimensions 1500mm x 3000mm
- ◆ Multiple Locking System
- ◆ Maximum Load Carrying Capacity 300kg/shutter
- ◆ Wind Load Consideration upto 2 Kpa
- ◆ Maximum Glass Thickness 15.52mm
- ◆ Leaf profile width on all sides is extremely narrow
- ◆ Range of height adjustment of the guiding roller is +5mm
- ◆ Hardware Options: A) Multi point lock pull handle
B) Multi point lock pull handle
C) 'L' Multi point pull handle




Simar Tara, Bandra, Mumbai

SLIMO SLIDING GEETA SERIES			
 SLIMO BOTTOM 2 TRACK CODE - GS0B2T WEIGHT KG/M - 2.829	 SLIMO BOTTOM 3 TRACK CODE - G231009 WEIGHT KG/M - 3.440	 SLIMO KPA INTERLOCK (INSIDE) CODE - G234007 WEIGHT KG/M - 2.280	
 SLIMO 2 TRACK TOP CODE - GS0T2T WEIGHT KG/M - 3.362	 SLIMO 3 TRACK TOP CODE - G231008 WEIGHT KG/M - 4.330	 SLIMO KPA INTERLOCK (OUTSIDE) CODE - G234008 WEIGHT KG/M - 2.690	
 CLOSING (WITH REINFORCEMENT) CODE - G233007 WEIGHT KG/M - 1.530	 CORNER PROFILE CODE - G233008 WEIGHT KG/M - 1.500	 HEAVY DUTY BOTTOM CODE - G234018 WEIGHT KG/M - 2.126	 SHUTTER SECTION CODE - G234006 WEIGHT KG/M - 1.339
 BUCKLE COVER BOTTOM (FOR TRACK - 2 & 3) CODE - G231106 WEIGHT KG/M - 0.529	 BUCKLE COVER BOTTOM (FOR TRACK - 3) CODE - G231107 WEIGHT KG/M - 0.500	 BUCKLE COVER -1 (TOP TRACK COVER) CODE - G022613 WEIGHT KG/M - 0.303	 BUCKLE COVER - 3 (FOR 3 TRACK) CODE - G022614 WEIGHT KG/M - 0.250
 INTERLOCK - 1 (OUTSIDE) CODE - G234016 WEIGHT KG/M - 1.517	 INTERLOCK - 2 (INSIDE) CODE - G234009 WEIGHT KG/M - 1.517	 CLOSING (WITHOUT REINFORCEMENT) CODE - G233006 WEIGHT KG/M - 0.680	 BUCKLE COVER -2 (INTERLOCK) CODE - G022617 WEIGHT KG/M - 0.093
 FLYMESH CHANNEL CODE - G236006 WEIGHT KG/M - 0.240	 FLYMESH CLIP CODE - G022612 WEIGHT KG/M - 0.059	 GLAZING PROFILE (5mm Glass Thick) CODE - GE021115 WEIGHT KG/M - 0.292	 BUCKLE COVER BOTTOM (FOR TRACK - 2 & 3) CODE - G231108 WEIGHT KG/M - 0.215
 GLAZING PROFILE (8mm Glass Thick) CODE - GE021113 WEIGHT KG/M - 0.277		 GLAZING PROFILE (6mm Glass Thick) CODE - GE021114 WEIGHT KG/M - 0.285	

50MM SLIDING SERIES

Assembling Drawing














Technical Specifications



- ◆ Maximum Shutter Dimensions 1800 x 3800mm
- ◆ Large Window Openings upto 3800mm in height
- ◆ Glazing Options - 8mm, 10mm, 20mm, 22mm and 30mm
- ◆ Rollers have Load bearing capacity upto 300 kg per shutter
- ◆ Multiple Point Lock available
- ◆ Well Designed Drainage System (Z" Drainage)
- ◆ Hardware Options:
 - A) Multi point lock
 - B) Multi Point Lock With Cylinder And Handle




Chiguru, Bangalore, Karnataka

50 MM WINDOW GEETA SERIES		
 MONOTRACK FRAME CODE - C8A02M WEIGHT KG/M - 1.141	 2 TRACK FRAME CODE - C8A1BM WEIGHT KG/M - 2.622	 SHUTTER CODE - C8A4AJ WEIGHT KG/M - 2.561
 REINFORCEMENT INTERLOCK (KPA) CODE - C00RIJ WEIGHT KG/M - 2.142	 INTERLOCK (NON KPA) CODE - C0NRIJ WEIGHT KG/M - 1.198	 DRIP BAR CODE - C8A11M WEIGHT KG/M - 0.415
 CONCEALED MONO TRACK CODE - WEIGHT KG/M - 1.141	 CONCEALED 2 TRACK CODE - WEIGHT KG/M -	 LOCKING CHANNEL CODE - C8A1AJ WEIGHT KG/M - 0.438
 BOTTOM ADAPTOR CODE - C8006M WEIGHT KG/M - 0.259	 TOP ADAPTOR CODE - C8A16M WEIGHT KG/M - 0.403	 GUIDE RAIL CODE - C8A17M WEIGHT KG/M - 0.159
 COVER ADAPTOR CODE - CM3A5M WEIGHT KG/M - 0.096	 SHUTTER ADAPTOR CODE - CSTR AJ WEIGHT KG/M - 0.398	 8.7 X 37.8 TUBE (FIT TO SHUTTER) CODE - C0RT1J WEIGHT KG/M - 0.432
 MEETING SECTION CODE - C8A08M WEIGHT KG/M - 0.345	 FLYMESH TUBE CODE - C50FTU WEIGHT KG/M - 0.270	 INTERLOCK CODE - C8A7AM WEIGHT KG/M - 0.708

38MM SLIM SLIDING SERIES

Assembling Drawing




Technical Specifications




- ◆ Maximum Shutter Dimensions 1000mm x 2500mm
- ◆ Wind Load capacity upto 2KPa*
- ◆ Available in 2 track and 3 track
- ◆ Glass Thickness upto 6mm / 8mm - 24mm/28mm
- ◆ Noise reduction properties and weather-proofing seals
- ◆ Hardware design compatible with aluminium sections




38 MM SERIES WINDOW SLIM SERIES




ADDON 2 TRACK TOP BOTTOM
CODE - G382TB
WEIGHT KG/M - 1.852




ADD ON 3 TRACK TOP BOTTOM
CODE - G383TB
WEIGHT KG/M - 2.220




DOUBLE GLASS SHUTTER
CODE - G3800S
WEIGHT KG/M - 1.100



DGU SHUTTER TOP BOTTOM
CODE - G38BTB
WEIGHT KG/M - 1.06




ADD ON 2 TRACK VERTICAL
CODE - G382TV
WEIGHT KG/M - 1.852




ADD ON 3 TRACK VERTICAL
CODE - G383TV
WEIGHT KG/M - 1.162




KPA D.G. INTERLOCK
CODE - G38KSI
WEIGHT KG/M - 1.000




NON KPA D.G. INTERLOCK
CODE - G38NSI
WEIGHT KG/M - 0.400



GLASS SHUTTER ADAPTOR
CODE - G38SGA
WEIGHT KG/M - 0.183




GUIDE RAIL
CODE - C8A17M
WEIGHT KG/M - 0.159



BOTTOM ADAPTOR
CODE - C8006M
WEIGHT KG/M - 0.259




COVER ADAPTOR
CODE - CM3A5M
WEIGHT KG/M - 0.096



MEETING SECTION
CODE - C8A08M
WEIGHT KG/M - 0.345

35X75MM SLIDING SLIM SERIES

Assembling Drawing























Technical Specifications




- ◆ Maximum Shutter Dimension 1500mm x 2400mm
- ◆ Maximum Glass thickness 22mm
- ◆ Available in 2 track, 3 track and 4 track frame
- ◆ Single or Double insulated Glass available
- ◆ Multi point lock
- ◆ KPa DG Handle shutter
- ◆ Flymesh Integration
- ◆ Slim Interlock Re-inforcement upto 1.5 KPa
- ◆ Hardware Options: A) Concealed Lock Automatic
B) Short Neck Handle C) Metro Handle



35 MM WINDOW GEETA SERIES (GUIDE RAIL SYSTEM)			
 ADDON 2 TRACK CODE - G35A2T WEIGHT KG/M -1.470	 ADDON 3 TRACK CODE - G35A3T WEIGHT KG/M - 2.220	 DOUBLE GLASS SHUTTER CODE - GD357S WEIGHT KG/M - 1.265	 SINGLE GLASS SHUTTER (18MM GAP) CODE - GS3572 WEIGHT KG/M - 1.270
 ADDON 4 TRACK CODE - G435GR WEIGHT KG/M - 2.800	 KPA D.G. HANDLE SHUTTER CODE - G35KPH WEIGHT KG/M - 1.600	 KPA S.G. HANDLE SHUTTER CODE - GS357K WEIGHT KG/M - 1.750	 TRANSOM CODE - GT3575 WEIGHT KG/M - 1.205
 REINFORCEMENT INTERLOCK D.G CODE - GI357S WEIGHT KG/M - 1.413	 REINFORCEMENT INTERLOCK S.G CODE - GI35K2 WEIGHT KG/M - 1.400	 NON REINFORCEMENT INTERLOCK - D.G CODE - GI357N WEIGHT KG/M - 0.747	 NON REINFORCEMENT INTERLOCK - S.G CODE - GI35KN WEIGHT KG/M - 0.710
 REINFORCEMENT INTERLOCK - S.G CODE - GI35KR WEIGHT KG/M - 1.780	 OUTER FRAME 35X75-(127MM) CODE - GF3575 WEIGHT KG/M - 1.370	 25X19MM TUBE CODE - H02418 WEIGHT KG/M - 0.399	 ADDON RAIL CODE - G35AOR WEIGHT KG/M - 0.110
 GEETA OUTER FRAME 25 X54 3L CODE - GF3L25 WEIGHT KG/M -1.170	 GEETA OUTER FRAME 98MM CODE - G27F98 WEIGHT KG/M - 1.180	 INTERLOCK CODE -MC6242 WEIGHT KG/M - 0.430	 SINGLE GLASS CLIP (6mm,8mmGlass Thick) CODE - Z40SGC WEIGHT KG/M - 0.250
	 MEETING CODE - GM3575 WEIGHT KG/M - 0.330	 19.7X17MM TUBE CODE - G35FTS WEIGHT KG/M - 0.330	

30MM SLIM SLIDING SERIES - SGU

Assembling Drawing



Technical Specifications




























- ◆ Tested Series as per ASTM and AAMA Standards
- ◆ Maximum Shutter Dimensions 1000mm x 2200mm
- ◆ Available in 2, track, 3 track, 4 track configuration
- ◆ Combination frame option available
- ◆ All Hardware European make
- ◆ Single Glass options 5mm, 6mm and 8mm
- ◆ Multi point locking available
- ◆ Specially designed for High rises
- ◆ Weather proofing seals
- ◆ Hardware Option : A) Concealed lock
B) Short Neck Handle




Suncity, Powai, Mumbai

30MM SLIM WINDOW SLIDING - SGU (TESTED GEETA SERIES)

 2 TRACK OUTER FRAME CODE - GR30A2 WEIGHT KG/M - 1.190	 3 TRACK OUTER FRAME CODE - GR30A3 WEIGHT KG/M - 1.767	 TOP / BOTTOM SHUTTER CODE - GR30TB WEIGHT KG/M - 0.871	 TOP OUTER FRAME 2 TRACK CODE - GRFT2T WEIGHT KG/M - 0.816	
 2.5 TRACK OUTER FRAME CODE - GR30A2.5 WEIGHT KG/M - 1.145	 3 TRACK OUTER FRAME CODE - GR30A3 WEIGHT KG/M - 1.686	 HANDLE SHUTTER CODE - GR30HS WEIGHT KG/M - 0.988	 BOTTOM OUTER FRAME 2 TRACK CODE - GRFB2T WEIGHT KG/M - 0.771	
 4.5 TRACK OUTER FRAME CODE - GR30A4.5 WEIGHT KG/M - 2.130	 SLIM NON KPA INTERLOCK CODE - GR30NI WEIGHT KG/M - 0.661	 KPA INTERLOCK CODE - GR30KI WEIGHT KG/M - 0.925	 TOP OUTER FRAME 3 TRACK CODE - GRFT3T WEIGHT KG/M - 1.245	
 2 TRACK TOP BOTTOM CODE - GR30TB WEIGHT KG/M - 0.818	 3 TRACK TOP BOTTOM CODE - GB3TTA WEIGHT KG/M - 1.179	 BOTTOM & VERTICAL OUTER FRAME 3 TRACK CODE - GB3TBF WEIGHT KG/M - 0.976	 BOTTOM OUTER FRAME 3 TRACK CODE - GRFB3T WEIGHT KG/M - 1.200	
 2 TRACK VERTICAL CODE - GB3TOV WEIGHT KG/M - 0.418	 2 TRACK VERTICAL CODE - GB3TOV WEIGHT KG/M - 0.632	 3 TRACK MONOLITHIC OUTER PROFILE CODE - GB3TMO WEIGHT KG/M - 1.715	 SINGLE GLASS CLIP (6mm, 8mm Glass Thick) CODE - Z40SGC WEIGHT KG/M - 0.231	
 BIG KPA INTERLOCK CODE - GR30BI WEIGHT KG/M - 1.828	 KPA HANDLE SHUTTER CODE - GR30HS WEIGHT KG/M - 1.753	 KPA HANDLE SHUTTER CODE - GR30HS WEIGHT KG/M - 1.753	 TRACK ADAPTOR CODE - GB00AV WEIGHT KG/M - 0.195	
 GUIDE RAIL CODE - GR30GR WEIGHT KG/M - 0.074	 GUIDE RAIL CODE - GR30GR WEIGHT KG/M - 0.074	 DRIP BAR CODE - GR00DB WEIGHT KG/M - 0.260	 MEETING SECTION CODE - GR30MS WEIGHT KG/M - 0.229	 BIG KPA INTERLOCK CODE - G30KPI WEIGHT KG/M - 1.338

30MM SLIM SLIDING SERIES - DGU/SGU

Assembling Drawing



Technical Specifications

























- ◆ Tested Series as per ASTM and AAMA Standards
- ◆ Maximum Shutter Dimensions 1000mm x 2200mm
- ◆ Available in 2, track, 3 track, 4 track configuration
- ◆ Combination frame option available
- ◆ All Hardware European make
- ◆ Single Glass options 5mm, 6mm and 8mm
- ◆ Multi point locking available
- ◆ Specially designed for High rises
- ◆ Weather proofing seals
- ◆ Hardware Option : A) Concealed lock
B) Short Neck Handle




BDD Chawl, Worli, South Mumbai

30MM SLIM WINDOW SLIDING - DGU (TESTED GEETA SERIES)

 2 TRACK OUTER FRAME CODE - GR30A2 WEIGHT KG/M - 1.190	 3 TRACK OUTER FRAME CODE - GR30A3 WEIGHT KG/M - 1.767	 DGU TOP / BOTTOM SHUTTER CODE - GD30TB-RM WEIGHT KG/M - 0.763	 TOP OUTER FRAME 2 TRACK CODE - GRFT2T WEIGHT KG/M - 0.816
 2.5 TRACK OUTER FRAME CODE - WEIGHT KG/M - 1.145	 3 TRACK OUTER FRAME CODE - WEIGHT KG/M - 1.686	 DGU HANDLE SHUTTER CODE - GD30HL-RM WEIGHT KG/M - 0.856	 BOTTOM OUTER FRAME 2 TRACK CODE - GRFB2T WEIGHT KG/M - 0.771
 4.5 TRACK OUTER FRAME CODE - WEIGHT KG/M - 2.130	 DGU SLIM NON KPA INTERLOCK CODE - GD30NI-RM WEIGHT KG/M - 0.558	 D.G KPA interlock CODE - WEIGHT KG/M - 1.753	 TOP OUTER FRAME 3 TRACK CODE - GRFT3T WEIGHT KG/M - 1.245
 2 TRACK TOP BOTTOM CODE - WEIGHT KG/M - 0.818	 3 TRACK TOP BOTTOM CODE - GB3TTA WEIGHT KG/M - 1.179	 BOTTOM & VERTICAL OUTER FRAME 3 TRACK CODE - GB3TBF WEIGHT KG/M - 0.976	 BOTTOM OUTER FRAME 3 TRACK CODE - GRFB3T WEIGHT KG/M - 1.200
 2 TRACK VERTICAL CODE - WEIGHT KG/M - 0.418	 2 TRACK VERTICAL CODE - GB3TOV WEIGHT KG/M - 0.632	 3 TRACK MONOLITHIC OUTER PROFILE CODE - GB3TMO WEIGHT KG/M - 1.715	 SINGLE GLASS CLIP (6mm,8mm Glass Thick) CODE - Z40SGC WEIGHT KG/M - 0.231
 BIG KPA INTERLOCK CODE - GD30KI WEIGHT KG/M - 1.787	 DRIP BAR CODE - GR00DB WEIGHT KG/M - 0.260	 TRACK ADAPTOR CODE - GB00AV WEIGHT KG/M - 0.195	
 GUIDE RAIL CODE - GR30GR WEIGHT KG/M - 0.074	 GUIDE RAIL CODE - WEIGHT KG/M - 0.074	 GLASS ADAPTOR CODE - WEIGHT KG/M 0.135	 MEETING SECTION CODE - GR30MS WEIGHT KG/M - 0.229

27X60MM SLIDING SLIM SERIES

Assembling Drawing



Technical Specifications



- ◆ Maximum Shutter Dimensions 1200mm x 2200mm
- ◆ Maximum Glass Thickness 6mm to 18mm
- ◆ Available in 2 track, 3 track and 4 track frame
- ◆ Single or Double insulated Glass available
- ◆ Multi point lock
- ◆ KPa DG Handle shutter
- ◆ Flymesh Integration



















Hardware Options: A) Concealed Lock Automatic

B) Short Neck Handle C) Metro Handle









Amar Jivan, Bandra, Mumbai

27 X 60 MM WINDOW SERIES (GUIDE RAIL SYSTEM)


 ADDON 2 TRACK CODE - G27A2T WEIGHT KG/M - 1.200	 ADDON 3 TRACK CODE - G27A3T WEIGHT KG/M - 1.630	 DOUBLE GLASS SHUTTER CODE - GDS276 WEIGHT KG/M - 0.827	 S.G. SHUTTER CODE - GSS276 WEIGHT KG/M - 0.720
 ADDON 4 TRACK CODE - G427GR WEIGHT KG/M - 2.450	 KPA D.G HANDLE SHUTTER CODE - G27KPH WEIGHT KG/M - 1.160	 KPA S.G HANDLE SHUTTER CODE - G27KSS WEIGHT KG/M - 1.260	 DG SLIM INTERLOCK (NON KPA) CODE - GIN276 WEIGHT KG/M - 0.580
 S.G - 2 INTERLOCK REINFORCEMENT (KPA) CODE - GK27S2 WEIGHT KG/M - 1.900	 DG INTERLOCK REINFORCEMENT (KPA) CODE - GIR276 WEIGHT KG/M - 1.220	 S.G INTERLOCK REINFORCEMENT (KPA) CODE - GIRS27 WEIGHT KG/M - 1.250	 S.G SLIM INTERLOCK (NON KPA) CODE - GINS27 WEIGHT KG/M - 0.600
 S.G INTERLOCK REINFORCEMENT (KPA) CODE - GIKS27 WEIGHT KG/M - 1.950	 GEETA OUTER FRAME 25 X54 2L CODE - GF2L25 WEIGHT KG/M - 0.770	 2 TRACK MONOLITHIC TOP/SIDE CODE - WEIGHT KG/M - 0.973	 2 TRACK MONOLITHIC BOTTOM CODE - WEIGHT KG/M - 1.104
 GEETA OUTER FRAME 25 X54 3L CODE - GF3L25 WEIGHT KG/M - 1.170	 GEETA OUTER FRAME 98MM CODE - G27F98 WEIGHT KG/M - 1.180	 ADDON RAIL CODE - G27AOR WEIGHT KG/M - 0.070	 12X12 MM TUBE CODE - H01212 WEIGHT KG/M - 0.166

27 X 60MM ADDITIONAL PROFILE

 FRAME 2 TRACK CODE - G22760 WEIGHT KG/M - 1.120	 FRAME 3 TRACK CODE - G32760 WEIGHT KG/M - 1.645	 MEETING CODE - GM2760 WEIGHT KG/M - 0.250
 FRAME 4 TRACK CODE - G42760 WEIGHT KG/M - 2.145	 MONOTRACK CODE - G27MOT WEIGHT KG/M - 0.640	 REGULER INTERLOCK CODE - GI2760 WEIGHT KG/M - 0.370

25X54MM SLIDING SLIM SERIES

Assembling Drawing



Technical Specifications




- ◆ Maximum Shutter Dimensions 900mm x 1800mm
- ◆ Maximum Glass Thickness 5mm/6mm
- ◆ Available in 2 track, 3 track & 4 track
- ◆ Light weight sections
- ◆ Hardware compatible with Aluminium sections
- ◆ Hardware Options:
 - A) Concealed Lock Automatic B) Bearing




Chandak, Goregaon, Mumbai


25 X 54MM WINDOW SLIM / REGULAR SERIES




GEETA 2 TRACK 25 X 54 WITH LEG
CODE - G2L255
WEIGHT KG/M - 1.000




GEETA 3 TRACK 25 X 54 WITH LEG
CODE - G3L255
WEIGHT KG/M - 1.450




SINGLE GLASS SHUTTER
CODE - GS2554
WEIGHT KG/M - 0.680




INTERLOCK REINFORCEMENT(KPA)
CODE - GIS255
WEIGHT KG/M - 0.820



FRAME 4 TRACK
CODE - G42554
WEIGHT KG/M - 1.650




GEETA OUTER FRAME 25 X54 2L
CODE - GF2L25
WEIGHT KG/M - 0.770




GEETA OUTER FRAME
25 X54 3L
CODE - GF3L25
WEIGHT KG/M - 1.170




GEETA OUTER FRAME 98MM
CODE - G27F98
WEIGHT KG/M - 1.180




SLIM INTERLOCK (NON KPA)
CODE - GI2554
WEIGHT KG/M - 0.530




MEETING
CODE - GM2554
WEIGHT KG/M - 0.215



11.2X9.5MM TUBE
CODE - GBFLTU
WEIGHT KG/M - 0.150




REGULER INTERLOCK
CODE - GIW255
WEIGHT KG/M - 0.370



SINGLE GLASS CLIP
(6mm,8mmGlass Thick)
CODE - Z40SGC
WEIGHT KG/M - 0.250

25MM KPa SLIDING PROJECT SERIES

Assembling Drawing










Technical Specifications



- ◆ Maximum Shutter Dimensions 900mm x 2000mm
- ◆ Optimum weight designed profiles
- ◆ Wind Load capacity upto 2KPa+
- ◆ Available in 2 track and 3 track
- ◆ Hardware design compatible with aluminium sections




Pride, Hinjewadi phase-1, Pune

25MM KPA SLIDING PROJECT SERIES	
 TWO TRACK BOTTOM CODE - DB1352 WEIGHT KG/M -	 TWO TRACK TOP & SIDE CODE - DB0350 WEIGHT KG/M -
 SHUTTER TOP & BOTTOM CODE - DB7033 WEIGHT KG/M -	 SHUTTER HANDLE CODE - DB1015 WEIGHT KG/M -
 THREE TRACK BOTTOM CODE - DB1485 WEIGHT KG/M -	 INTERLOCK CODE - DB1014 WEIGHT KG/M -
 THREE TRACK TOP & SIDE CODE - DB0321 WEIGHT KG/M -	 REINFORCEMENT INTERLOCK CODE - DBKPIL WEIGHT KG/M -

ULTRA VALUE WINDOW (UVW)

Assembling Drawing













Technical Specifications



- ◆ Sleeker Design
- ◆ Maximum Shutter Dimensions 900mm x 1800mm
- ◆ Available in 2 track and 3 track
- ◆ Wind Load capacity upto 1.5Kpa.
- ◆ Optimum weight designed profiles
- ◆ Hardware design compatible with aluminium sections
- ◆ Concealed shutter option available
- ◆ Hardware Options: A) Concealed Lock B) Bearing




Evershine Amavi 303, Virar, Mumbai

UVW WINDOW SLIDING GEETA SERIES	
 2 TRACK VERTICAL SECTION CODE - GUVT2T WEIGHT KG/M - 0.765	 2 TRACK BOTTOM CODE - GUVB2T WEIGHT KG/M - 1.011
 HANDLE SECTION CODE - GUV0HL WEIGHT KG/M - 0.505	 INTERLOCK(NON KPA) CODE - GI2554 WEIGHT KG/M - 0.533
 3TRACK VERTICAL SECTION CODE - GUVT3T WEIGHT KG/M - 1.093	 3 TRACK BOTTOM SECTION CODE - GUVB3T WEIGHT KG/M - 1.448
 TOP & BOTTOM SECTION CODE - GUV0TB WEIGHT KG/M - 0.546	 SLIM INTERLOCK REINFORCEMENT (KPA) CODE - GIS255 WEIGHT KG/M - 0.820
 SLIM HANDLE CODE - GUVSHL WEIGHT KG/M - 0.396	 GUIDE RAIL CODE - GUV0GR WEIGHT KG/M - 0.096

SLIDING FOLDING

Assembling Drawing











Technical Specifications



- ◆ Maximum Shutter Dimensions (SGU) - 800mm x 2700mm
- ◆ Multipoint lock available
- ◆ Shutter combination available in odd numbers
- ◆ Glazing options - 5mm - 18mm
- ◆ Inside and Outside folding given more space
- ◆ 95% opening to verandas and gardens
- ◆ Hardware Options: A) Butt Hinges
B) Handle with Hinges C) Popup Lock Handle
D) Cylinder with Know E) Mortise Lock




Taj Vivanta, Panji, Goa

SLIDING FOLDING DOOR GEETA SERIES	
 FRAME VERTICAL CODE - GSF0FV WEIGHT KG/M - 1.235	 TOP TRACK CODE - GSF0FT WEIGHT KG/M - 2.980
 BOTTOM TRACK CODE - GSF00B WEIGHT KG/M - 0.985	 SHUTTER CODE - GSF00S WEIGHT KG/M - 1.435
 SINGLE GLASS CLIP (6mm,8mmGlass Thick) CODE - GSFSGC WEIGHT KG/M - 0.245	 DOUBLE GLASS CLIP (18mm,22mm& 24mm Glass) CODE - GSFDGC WEIGHT KG/M - 0.210
 BOTTOM 'U' CHANNEL CODE - U01818 WEIGHT KG/M - 0.251	 BI - FOLD ADAPTOR CODE - GSFBFS WEIGHT KG/M - 0.630

SLIMO CASEMENT

Assembling Drawing










Technical Specifications



- ◆ Equipped with concealed handle, no fitting is visible from inside
- ◆ Slim Profile provides wider horizon for clear view and larger area ventilation
- ◆ High security friction hinges load bearing capacity upto 80kg
- ◆ Special rotary transmission hardware for convenient operation & handling
- ◆ Provision of integrated mosquito nets
- ◆ Hardware Options: A) Multi point lock pull handle
B) Friction Hinges




Chaitanya, Bangalore, Karnataka

SLIMO CASEMENT GEETA SERIES	
 FRAME SECTION CODE - G111006 WEIGHT KG/M - 0.689	 ADAPTOR PROFILE CODE - G115006 WEIGHT KG/M - 0.640
 SHUTTER ADAPTOR CODE - G114006 WEIGHT KG/M - 1.032	 MIDDLE FRAME PROFILE CODE - G112007 WEIGHT KG/M - 0.773
 GLAZING PROFILE (8mm Glass Thick) CODE - GE021113 WEIGHT KG/M - 0.277	 GLAZING PROFILE (6mm Glass Thick) CODE - GE021114 WEIGHT KG/M - 0.285
 GLAZING PROFILE (5mm Glass Thick) CODE - GE021115 WEIGHT KG/M - 0.292	

52EG CASEMENT WINDOW

Assembling Drawing



Technical Specifications




- ◆ Maximum Shutter Dimensions 900mm x 1800mm
- ◆ Two Point locking available
- ◆ Options for Single/ Double shutter and combinations of openable and fixed
- ◆ Hair Line corner joints possible with the help of spring loaded corner cleat
- ◆ European make special butt hinges for higher load carrying capacity
- ◆ Hardware Options: A) Multi Point Lock OP-1
B) Multi Point Lock OP-2 C) Friction Hinges




Kasturi EON homes, Hinjewadi Phase -3, Pune


52 EG MM WINDOW / DOOR GEETA SERIES




DOOR OUTER FRAME
CODE - C0M01M
WEIGHT KG/M - 1.129




WINDOW OUTER FRAME
CODE - C0C01M
WEIGHT KG/M - 0.792




DOOR OPEN - IN SHUTTER
CODE - CM03AM
WEIGHT KG/M - 1.396




DOOR OPEN - OUT SHUTTER
CODE - CM04AM
WEIGHT KG/M - 1.500




DOOR BOTTOM SECTION
CODE - CM09BM
WEIGHT KG/M - 2.422




WINDOW MULLION
CODE - C0C02M
WEIGHT KG/M - 0.917




WINDOW OPEN - OUT SHUTTER
CODE - C0C07M
WEIGHT KG/M - 1.094




WINDOW OPEN - IN SHUTTER
CODE - CC03EM
WEIGHT KG/M - 0.947




REINFORCEMENT MULLION
CODE - CC02BM
WEIGHT KG/M - 2.017




REINFORCEMENT MULLION-R
CODE -
WEIGHT KG/M - 1.450




FLYING MULLION
CODE -C0C04M
WEIGHT KG/M - 0.911




DOOR MULLION
CODE - C0M02M
WEIGHT KG/M - 1.460




INVERSION CLIP
CODE -C0C18M
WEIGHT KG/M - 0.745




DOOR BOTTOM CLIP
CODE - CM09CM
WEIGHT KG/M - 0.542




DOOR MULLION
CODE - C0M02M
WEIGHT KG/M - 1.460




**DOOR BOTTOM CLIP
(FOR AUTO DROP SEAL)**
CODE -
WEIGHT KG/M - 0.915



ROUND SINGLE GLASS CLIP
(6mm, 8mm & 11.14 Glass Thick)
CODE - Z52ES2
WEIGHT KG/M - 0.273



SINGLE GLASS CLIP
(6mm & 8mm Glass Thick)
CODE - Z52ESG
WEIGHT KG/M - 0.260




DOUBLE GLASS CLIP
(18MM,20mm&22mm
Glass Thick)
CODE -CG5082
WEIGHT KG/M - 0.234



DOUBLE GLASS CLIP
(24mm to 32 MM Glass Thick)
CODE -Z52D32
perimeter- 91.1722

52EG DOOR

Assembling Drawing




Technical Specifications




- ◆ Maximum Shutter Dimensions 900mm x 3000mm
- ◆ Maximum Glass Thickness 24mm
- ◆ Two point locking available
- ◆ Single/ Double Shutter available
- ◆ Single/ Double Glass available
- ◆ Possibility to fit Mortise lock with cylinder and spring loaded handle for doors
- ◆ Profiles compatible for Euro Groove Hardware
- ◆ Special heavy and light duty butt hinges for carrying capacity
- ◆ Hardware Options: A) Mortise Lock B) Butt Hinges




JSW Sanjeevani Hospital, Pen Road, Alibaug

52 EG MM WINDOW / DOOR GEETA SERIES



DOOR OUTER FRAME
CODE - C0M01M
WEIGHT KG/M - 1.129




WINDOW MULLION
CODE - C0C02M
WEIGHT KG/M - 0.917




DOOR OPEN - IN SHUTTER
CODE - CM03AM
WEIGHT KG/M - 1.396




DOOR OPEN - OUT SHUTTER
CODE - CM04AM
WEIGHT KG/M - 1.500




DOOR BOTTOM SECTION
CODE - CM09BM
WEIGHT KG/M - 2.422




INVERSION CLIP
CODE - C0C18M
WEIGHT KG/M - 0.745




FLYING MULLION
CODE - C0C04M
WEIGHT KG/M - 0.911




DOOR MULLION
CODE - C0M02M
WEIGHT KG/M - 1.460




REINFORCEMENT MULLION
CODE - CC02BM
WEIGHT KG/M - 2.017




REINFORCEMENT MULLION-R
CODE -
WEIGHT KG/M - 1.450




DOOR MULLION
CODE - C0M02M
WEIGHT KG/M - 1.460




DOOR BOTTOM CLIP
(FOR AUTO DROP SEAL)
CODE -
WEIGHT KG/M - 0.915




DOOR BOTTOM CLIP
CODE - CM09CM
WEIGHT KG/M - 0.542




ROUND SINGLE GLASS CLIP
(6mm, 8mm & 11.14 Glass Thick)
CODE - Z52ES2
WEIGHT KG/M - 0.273



SINGLE GLASS CLIP
(6mm & 8mm Glass Thick)
CODE - Z52ESG
WEIGHT KG/M - 0.260




DOUBLE GLASS CLIP
(18MM, 20mm & 22mm
Glass Thick)
CODE - CG5082
WEIGHT KG/M - 0.234



DOUBLE GLASS CLIP
(24mm to 32 MM Glass Thick)
CODE - Z52D32
perimeter- 91.1722

40MM CASEMENT WINDOW

Assembling Drawing













Technical Specifications

- ◆ Maximum Shutter Dimensions 800mm x 1400mm
- ◆ Two Point locking available
- ◆ Hair Line corner joints possible with the help of spring loaded corner cleat
- ◆ Bigger sections for transom and bottom cill available
- ◆ Profiles compatible for Euro Groove Hardware
- ◆ European make special butt hinges for higher load carrying capacity
- ◆ Hardware Options: A) Multi Point Lock
B) Friction Hinges C) Butt Hinges




SNN Raj ETERNIA, Bengaluru, Karnataka

40 MM WINDOW / DOOR GEETA SERIES	
 OUTER FRAME CODE - Z40FRM WEIGHT KG/M - 0.600	 OUTER FRAME KPA (DOOR) CODE - Z40KPF WEIGHT KG/M - 0.785
 WINDOW SHUTTER / MULLION CODE - Z40OWS WEIGHT KG/M - 0.700	 BIG DOOR SHUTTER / MULLION CODE - Z40BDS WEIGHT KG/M - 0.990
 6" FLOOR SPRING DOOR BOTTOM CODE - Z40FDB WEIGHT KG/M - 1.817	 MOVEABLE MULLION CODE - Z40MTG WEIGHT KG/M - 0.700
 INVERSION CLIP CODE - Z400IC WEIGHT KG/M - 0.500	 SINGLE GLASS CLIP (6mm,8mmGlass Thick) CODE - Z40SGC WEIGHT KG/M - 0.250
 DOUBLE GLASS CLIP (18mm & 20mmGlass Thick) CODE - Z40DGC WEIGHT KG/M - 0.240	 DOUBLE GLASS CLIP (22mm,24mm&26mm Glass Thick) CODE - Z40DG2 WEIGHT KG/M - 0.195

40MM CASEMENT WINDOW W/O BEADING

Assembling Drawing














Technical Specifications

- ◆ Maximum Shutter Dimensions 800mm x 1400mm
Two Point locking available
- ◆ Hair Line corner joints possible with the help of spring loaded corner cleat
- ◆ Bigger sections for transom and bottom cill available
- ◆ Profiles compatible for Euro Groove Hardware
- ◆ European make special butt hinges for higher load carrying capacity
- ◆ Hardware Options: A) Multi Point Lock
B) Friction Hinges C) Butt Hinges




Raymond Tenx Habitat, Thane, Mumbai

40 MM WINDOW / DOOR GEETA SERIES		
 OUTER FRAME CODE - GR40OF WEIGHT KG/M - 0.603	 SHUTTER FRAME CODE - GR40WS WEIGHT KG/M - 0.795	
 KPA MULLION CODE - GR40RM WEIGHT KG/M - 1.030	 FLYING MULLION CODE - Z40MTG WEIGHT KG/M - 0.700	
 BIG KPA MULLION CODE - WEIGHT KG/M - 1.464	 38 MM MULLION CODE - WEIGHT KG/M - 1.464	
 38 MM KPA MULLION CODE - WEIGHT KG/M - 0.685	 FIX FRAME (ADAPTER) CODE - GR40FA WEIGHT KG/M - 0.315	
 SINGLE GLASS CLIP (6mm,8mm Glass Thick) CODE - Z40SGC WEIGHT KG/M - 0.231	 SINGLE GLASS CLIP -1 (Use Only For Anodizing Finish 6mm,8mm & 10mm Glass Thick) CODE - GR40SC WEIGHT KG/M - 0.234	 25X38mm THK. ALU. TUBE CODE - H03624 WEIGHT KG/M - 0.400

40MM DOOR

Assembling Drawing











Technical Specifications



- ◆ Maximum Shutter Dimensions 900mm x 2200mm
- ◆ Two Point locking available
- ◆ Options for Single/ Double shutter and combinations of openable and fixed
- ◆ Hair Line corner joints possible with the help of spring loaded corner cleat
- ◆ Possibility to fit Mortise lock with cylinder and spring loaded handle for doors
- ◆ European make special butt hinges for higher load carrying capacity
- ◆ Hardware Options: A) Mortise Lock




Club Mahindra Resort, Tungi, Lonavala

40 MM DOOR GEETA SERIES	
 OUTER FRAME KPA (DOOR) CODE - Z40KPF WEIGHT KG/M - 0.785	 BIG DOOR SHUTTER / MULLION CODE - Z40BDS WEIGHT KG/M - 0.990
 MOVEABLE MULLION CODE - Z40MTG WEIGHT KG/M - 0.700	 INVERSION CLIP CODE - Z400IC WEIGHT KG/M - 0.500
 6" FLOOR SPRING DOOR BOTTOM CODE - Z40FDB WEIGHT KG/M - 1.817	 SINGLE GLASS CLIP (6mm,8mmGlass Thick) CODE - Z40SGC WEIGHT KG/M - 0.250
 DOUBLE GLASS CLIP (18mm & 20mmGlass Thick) CODE - Z40DGC WEIGHT KG/M - 0.240	 DOUBLE GLASS CLIP (22mm,24mm&26mm Glass Thick) CODE - Z40DG2 WEIGHT KG/M - 0.195

29MM CASEMENT WINDOW

Assembling Drawing



Technical Specifications




- ◆ Maximum Shutter Dimensions 750mm x 1200mm
- ◆ Maximum Glass Thickness 6mm
- ◆ Hardware combination available with single point handle and friction hinges
- ◆ Ideal to be used as bathroom windows
- ◆ Hardware Options:
 - A) Single Point Lock




Birla Tisya, Bengaluru, Karnataka


29 MM WINDOW GEETA SERIES




OUTER FRAME
CODE - Z29FRM
WEIGHT KG/M - 0.500



SHUTTER
CODE - Z29STR
WEIGHT KG/M - 0.640




SINGLE GLASS CLIP
(5mm Glass Thick)
CODE - Z29CLP
WEIGHT KG/M - 0.230



MULLION
CODE - Z29MUL
WEIGHT KG/M - 0.600

25MM CASEMENT WINDOW

Assembling Drawing



Technical Specifications




- ◆ Maximum Shutter Dimensions
700mm x 1200mm
- ◆ Glass Thickness upto 5mm
- ◆ Single point Handle & S.S. Butt Hinges




Wadhwa Pristine, Matunga, Mumbai

25MM CASEMENT WINDOW SERIES




OUTER FRAME
CODE -
WEIGHT KG/M - 0.500



SHUTTER
CODE -
WEIGHT KG/M -0.640

TILT & TURN WINDOWS

Assembling Drawing




Technical Specifications

- ◆ Maximum Shutter Dimensions 760mm x 1500mm
- ◆ Single Glass Glazing option 6mm and 8mm
- ◆ Double Glass Glazing option 22mm and 24mm
- ◆ Three window operations in one; tilts & turns with a single lever
- ◆ Added security can be used as a fire or smoke escape window
- ◆ Draft-free ventilation, used in conference rooms and duct areas
- ◆ Hardware Options: A) Tilt & Turn Handle




Geeta Site Sample


TILT & TURN WINDOW GEETA SERIES




DOOR OUTER FRAME
CODE - C0M01M
WEIGHT KG/M - 1.129




WINDOW OUTER FRAME
CODE - C0C01M
WEIGHT KG/M - 0.792




DOOR OPEN - IN SHUTTER
CODE - CM03AM
WEIGHT KG/M - 1.396




DOOR OPEN - OUT SHUTTER
CODE - CM04AM
WEIGHT KG/M - 1.500




DOOR BOTTOM SECTION
CODE - CM09BM
WEIGHT KG/M - 2.422




WINDOW MULLION
CODE - C0C02M
WEIGHT KG/M - 0.917




WINDOW OPEN - OUT SHUTTER
CODE - C0C07M
WEIGHT KG/M - 1.094




WINDOW OPEN - IN SHUTTER
CODE - CC03EM
WEIGHT KG/M - 0.947




REINFORCEMENT MULLION
CODE - CC02BM
WEIGHT KG/M - 2.017




REINFORCEMENT MULLION-R
CODE -
WEIGHT KG/M - 1.450




FLYING MULLION
CODE -C0C04M
WEIGHT KG/M - 0.911




DOOR MULLION
CODE - C0M02M
WEIGHT KG/M - 1.460




INVERSION CLIP
CODE -C0C18M
WEIGHT KG/M - 0.745




DOOR BOTTOM CLIP
CODE - CM09CM
WEIGHT KG/M - 0.542




DOOR MULLION
CODE - C0M02M
WEIGHT KG/M - 1.460




**DOOR BOTTOM CLIP
(FOR AUTO DROP SEAL)**
CODE -
WEIGHT KG/M - 0.915




ROUND SINGLE GLASS CLIP
(6mm, 8mm & 11.14 Glass Thick)
CODE - Z52ES2
WEIGHT KG/M - 0.273



SINGLE GLASS CLIP
(6mm & 8mm Glass Thick)
CODE - Z52ESG
WEIGHT KG/M - 0.260



DOUBLE GLASS CLIP
(18MM,20mm&22mm
Glass Thick)
CODE -CG5082
WEIGHT KG/M - 0.234




DOUBLE GLASS CLIP
(24mm to 32 MM Glass Thick)
CODE -Z52D32
perimeter- 91.1722

COMBINATION WINDOW

35x75mm Combination Guide Rail System

Assembling Drawing























Technical Specifications

- ◆ Maximum Shutter Dimensions 1500mm x 2600mm
- ◆ Maximum Glass Thickness 23mm
- ◆ Available in 2 track and 3 track
- ◆ Handle section with reinforcement to withstand
- ◆ wind loads in high rises
- ◆ Special drainage for better outflow of water during monsoons
- ◆ Flymesh can be installed
- ◆ Hardware Options: A) Metro Handle
B) Short Neck Handle




Club Aquaria, Borivali, Mumbai

35 MM COMBINATION WINDOW GEETA SERIES (GUIDE RAIL SYSTEM)

 ADDON 2 TRACK CODE - G35A2T WEIGHT KG/M -1.470	 ADDON 3 TRACK CODE - G35A3T WEIGHT KG/M - 2.220	 DOUBLE GLASS SHUTTER CODE - GD357S WEIGHT KG/M - 1.265	 SINGLE GLASS SHUTTER (18MM GAP) CODE - GS3572 WEIGHT KG/M - 1.270
 ADDON 4 TRACK CODE - G435GR WEIGHT KG/M - 2.800	 KPA D.G. HANDLE SHUTTER CODE - G35KPH WEIGHT KG/M - 1.600	 KPA S.G. HANDLE SHUTTER CODE - GS357K WEIGHT KG/M - 1.750	 TRANSOM CODE - GT3575 WEIGHT KG/M - 1.205
 REINFORCEMENT INTERLOCK D.G CODE - GI357S WEIGHT KG/M - 1.413	 REINFORCEMENT INTERLOCK S.G CODE - GI35K2 WEIGHT KG/M - 1.400	 NON REINFORCEMENT INTERLOCK - D.G CODE - GI357N WEIGHT KG/M - 0.747	 NON REINFORCEMENT INTERLOCK - S.G CODE - GI35KN WEIGHT KG/M - 0.710
 REINFORCEMENT INTERLOCK - S.G CODE - GI35KR WEIGHT KG/M - 1.780	 OUTER FRAME 35X75-(127MM) CODE - GF3575 WEIGHT KG/M - 1.370	 25X19MM TUBE CODE - H02418 WEIGHT KG/M - 0.399	 ADDON RAIL CODE - G35AOR WEIGHT KG/M - 0.110
 GEETA OUTER FRAME 25 X54 3L CODE - GF3L25 WEIGHT KG/M -1.170	 GEETA OUTER FRAME 98MM CODE - G27F98 WEIGHT KG/M - 1.180	 INTERLOCK CODE -MC6242 WEIGHT KG/M - 0.430	 SINGLE GLASS CLIP (6mm,8mmGlass Thick) CODE - Z40SGC WEIGHT KG/M - 0.250
	 MEETING CODE - GM3575 WEIGHT KG/M - 0.330	 19.7X17MM TUBE CODE - G35FTS WEIGHT KG/M - 0.330	

30X63MM COMBINATION GUIDE RAIL SYSTEM

Assembling Drawing



Technical Specifications
























- ◆ Physically tested system as per ASTM & AAMA standards
- ◆ 2 track & 3 track available
- ◆ Maximum shutter dimensions – 1500mm x 2250mm
- ◆ Maximum Glass thickness – 8mm
- ◆ Slim Interlock reinforcement up to 3.75 KPa
- ◆ Special drainage for better outflow of water during monsoons
- ◆ Hardware Options: A) Concealed Lock Automatic




Raymond Tenx Habitat, Thane, Mumbai

30MM COMBINATION WINDOW SLIDING (TESTED GEETA SERIES)

 2 TRACK OUTER FRAME CODE - GR30A2 WEIGHT KG/M - 1.190	 3 TRACK OUTER FRAME CODE - GR30A3 WEIGHT KG/M - 1.767	 TOP / BOTTOM SHUTTER CODE - GR30TB WEIGHT KG/M - 0.871	 TOP OUTER FRAME 2 TRACK CODE - GRFT2T WEIGHT KG/M - 0.816	
 2.5 TRACK OUTER FRAME CODE - WEIGHT KG/M - 1.145	 3 TRACK OUTER FRAME CODE - WEIGHT KG/M - 1.686	 HANDLE SHUTTER CODE - GR30HS WEIGHT KG/M - 0.988	 BOTTOM OUTER FRAME 2 TRACK CODE - GRFB2T WEIGHT KG/M - 0.771	
 4.5 TRACK OUTER FRAME CODE - WEIGHT KG/M - 2.130	 SLIM NON KPA INTERLOCK CODE - GR30NI WEIGHT KG/M - 0.661	 KPA INTERLOCK CODE - GR30KI WEIGHT KG/M - 0.925	 TOP OUTER FRAME 3 TRACK CODE - GRFT3T WEIGHT KG/M - 1.245	
 2 TRACK TOP BOTTOM CODE - WEIGHT KG/M - 0.818	 3 TRACK TOP BOTTOM CODE - GB3TTA WEIGHT KG/M - 1.179	 BOTTOM & VERTICAL OUTER FRAME 3 TRACK CODE - GB3TBF WEIGHT KG/M - 0.976	 BOTTOM OUTER FRAME 3 TRACK CODE - GRFB3T WEIGHT KG/M - 1.200	
 2 TRACK VERTICAL CODE - WEIGHT KG/M - 0.418	 2 TRACK VERTICAL CODE - GB3TOV WEIGHT KG/M - 0.632	 3 TRACK MONOLITHIC OUTER PROFILE CODE - GB3TMO WEIGHT KG/M - 1.715	 SINGLE GLASS CLIP (6mm,8mm Glass Thick) CODE - Z40SGC WEIGHT KG/M - 0.231	
 GUIDE RAIL CODE - GR30GR WEIGHT KG/M - 0.074	 GUIDE RAIL CODE - WEIGHT KG/M - 0.074	 MEETING SECTION CODE - GR30MS WEIGHT KG/M - 0.229	 DRIP BAR CODE - GR00DB WEIGHT KG/M - 0.260	 TRACK ADAPTOR CODE - GB00AV WEIGHT KG/M - 0.195

27X60MM COMBINATION GUIDE RAIL SYSTEM

Assembling Drawing



Technical Specifications




















- ◆ Maximum Shutter Dimensions 1200mm x 2200mm
- ◆ Maximum Glass Thickness 18mm
- ◆ Available in 2 track and 3 track
- ◆ Single Glass and Double Glass shutter available
- ◆ Single & Multipoint lock available
- ◆ Combination of Sliding & Fixed window
- ◆ Hardware Options: A) Metro Handle
B) Short Neck Handle C) Concealed Lock Automatic









SNN Clermont, Bengaluru, karnataka


27 X 60 MM COMBINATION WINDOW SERIES (GUIDE RAIL SYSTEM)

 ADDON 2 TRACK CODE - G27A2T WEIGHT KG/M - 1.200	 ADDON 3 TRACK CODE - G27A3T WEIGHT KG/M - 1.630	 DOUBLE GLASS SHUTTER CODE - GDS276 WEIGHT KG/M - 0.827	 S.G. SHUTTER CODE - GSS276 WEIGHT KG/M - 0.720
 ADDON 4 TRACK CODE - G427GR WEIGHT KG/M - 2.450	 KPA D.G HANDLE SHUTTER CODE - G27KPH WEIGHT KG/M - 1.160	 KPA S.G HANDLE SHUTTER CODE - G27KSS WEIGHT KG/M - 1.260	 DG SLIM INTERLOCK (NON KPA) CODE - GIN276 WEIGHT KG/M - 0.580
 S.G - 2 INTERLOCK REINFORCEMENT (KPA) CODE - GK27S2 WEIGHT KG/M - 1.900	 DG INTERLOCK REINFORCEMENT (KPA) CODE - GIR276 WEIGHT KG/M - 1.220	 S.G INTERLOCK REINFORCEMENT (KPA) CODE - GIRS27 WEIGHT KG/M - 1.250	 S.G SLIM INTERLOCK (NON KPA) CODE - GINS27 WEIGHT KG/M - 0.600
 S.G INTERLOCK REINFORCEMENT (KPA) CODE - GIKS27 WEIGHT KG/M - 1.950	 GEETA OUTER FRAME 25 X54 2L CODE - GF2L25 WEIGHT KG/M - 0.770	 2 TRACK MONOLITHIC TOP/SIDE CODE - WEIGHT KG/M - 0.973	 2 TRACK MONOLITHIC BOTTOM CODE - WEIGHT KG/M - 1.104
 GEETA OUTER FRAME 25 X54 3L CODE - GF3L25 WEIGHT KG/M - 1.170	 GEETA OUTER FRAME 98MM CODE - G27F98 WEIGHT KG/M - 1.180	 ADDON RAIL CODE - G27AOR WEIGHT KG/M - 0.070	 12X12 MM TUBE CODE - H01212 WEIGHT KG/M - 0.166


27 X 60MM ADDITIONAL PROFILE

 FRAME 2 TRACK CODE - G22760 WEIGHT KG/M - 1.120	 FRAME 3 TRACK CODE - G32760 WEIGHT KG/M - 1.645	 MEETING CODE - GM2760 WEIGHT KG/M - 0.250
 FRAME 4 TRACK CODE - G42760 WEIGHT KG/M - 2.145	 MONOTRACK CODE - G27MOT WEIGHT KG/M - 0.640	 REGULER INTERLOCK CODE - GI2760 WEIGHT KG/M - 0.370


25 X 54 MM COMBINATION WINDOW SERIES (GUIDE RAIL SYSTEM)




GEETA 2 TRACK 25 X 54 WITH LEG
CODE - G2L255
WEIGHT KG/M - 1.000




GEETA 3 TRACK 25 X 54 WITH LEG
CODE - G3L255
WEIGHT KG/M - 1.450




SINGLE GLASS SHUTTER
CODE - GS2554
WEIGHT KG/M - 0.680




INTERLOCK REINFORCEMENT(KPA)
CODE - GIS255
WEIGHT KG/M - 0.820



FRAME 4 TRACK
CODE - G42554
WEIGHT KG/M - 1.650




GEETA OUTER FRAME 25 X54 2L
CODE - GF2L25
WEIGHT KG/M - 0.770




GEETA OUTER FRAME
25 X54 3L
CODE - GF3L25
WEIGHT KG/M - 1.170




GEETA OUTER FRAME 98MM
CODE - G27F98
WEIGHT KG/M - 1.180




SLIM INTERLOCK (NON KPA)
CODE - GI2554
WEIGHT KG/M - 0.530




MEETING
CODE - GM2554
WEIGHT KG/M - 0.215



11.2X9.5MM TUBE
CODE - GBFLTU
WEIGHT KG/M - 0.150




REGULER INTERLOCK
CODE - GIW255
WEIGHT KG/M - 0.370



SINGLE GLASS CLIP
(6mm,8mmGlass Thick)
CODE - Z40SGC
WEIGHT KG/M - 0.250

ULTRA VALUE WINDOW COMBINATION SYSTEM

Assembling Drawing













Technical Specifications



- ◆ Sleeker Design
- ◆ Maximum Shutter Dimensions 900mm x 1800mm
- ◆ Available in 2 track and 3 track
- ◆ Wind Load capacity up to 1.5 KPa
- ◆ Optimum weight designed profiles
- ◆ Hardware design compatible with aluminium sections
- ◆ Concealed shutter option available
- ◆ Hardware Options: A) Concealed Lock B) Bearing




Atharva Nava samaj Site, Vile Parle, Mumbai

UVW WINDOW COMBINATION SYSTEM	
 2 TRACK VERTICAL SECTION CODE - GUVT2T WEIGHT KG/M - 0.765	 2 TRACK BOTTOM CODE - GUVB2T WEIGHT KG/M - 1.011
 HANDLE SECTION CODE - GUV0HL WEIGHT KG/M - 0.505	 INTERLOCK(NON KPA) CODE - GI2554 WEIGHT KG/M - 0.533
 3TRACK VERTICAL SECTION CODE - GUVT3T WEIGHT KG/M - 1.093	 3 TRACK BOTTOM SECTION CODE - GUVB3T WEIGHT KG/M - 1.448
 TOP & BOTTOM SECTION CODE - GUV0TB WEIGHT KG/M - 0.546	 SLIM INTERLOCK REINFORCEMENT (KPA) CODE - GIS255 WEIGHT KG/M - 0.820
 SLIM HANDLE CODE - GUVSHL WEIGHT KG/M - 0.396	 GUIDE RAIL CODE - GUV0GR WEIGHT KG/M - 0.096

18MM KPa MONOLITHIC COMBINATION WINDOW

Assembling Drawing




Technical Specifications















- ◆ Sturdy Design
- ◆ Maximum Shutter Dimensions 900mm x 1800mm
- ◆ Optimum weight designed profiles
- ◆ KPa interlock enables wind Load capacity up to 2 KPa*
- ◆ Available in 2 track and 3 track
- ◆ Hardware design compatible with
- ◆ aluminium sections

Combination fixed profile for below sections for security and strength




Wadhwa wise city, Panvel, Mumbai

18MM KPA MONOLITHIC COMBINATION WINDOW		
 TWO TRACK BOTTOM-MONOLITHIC CODE - WEIGHT KG/M -	 THREE TRACK TOP & SIDE CODE - WEIGHT KG/M -	 SHUTTER TOP & BOTTOM CODE - WEIGHT KG/M -
 SHUTTER HANDLE CODE - WEIGHT KG/M -	 THREE TRACK BOTTOM-MONOLITHIC CODE - WEIGHT KG/M -	 THREE TRACK TOP & SIDE CODE - WEIGHT KG/M -
 INTERLOCK CODE - WEIGHT KG/M -	 REINFORCEMENT INTERLOCK CODE - WEIGHT KG/M -	 FIX OUTER FRAME CODE - WEIGHT KG/M -
 61X40MM CODE - WEIGHT KG/M -	 WINDOW SHUTTER / MULLION CODE - Z40WS WEIGHT KG/M - 0.700	 SINGLE GLASS CLIP (6mm,8mm Glass Thick) CODE - Z40SGC WEIGHT KG/M - 0.231

BALUSTRADE

Assembling Drawing



Technical Specifications



Durability:

Balustrades are highly resistant to corrosion, rust, and weathering, making it ideal for both indoor and outdoor use.

Enhancing Safety and Security:

Aluminium balustrade panels act as a protective barrier, preventing accidental falls and providing increased security for the safety of the occupants.





Versatility in Design:

The lightweight nature of aluminium allows for flexibility in design, enabling architects and designers to create unique and visually pleasing structures.

Low Maintenance:


Unlike some other materials, aluminium does not require frequent painting or sealing to maintain its appearance.



GEETA BALUSTRADE PROFILE
 95 ALUMINIUM BALUSTRADE HANDRAIL CODE - WEIGHT KG/M -1.435
 15 95 BALUSTRADE HANDRAIL COVER CODE - WEIGHT KG/M -0.474
 58 40 BALUSTRADE BOTTOM RAIL CODE - WEIGHT KG/M -1.197
 6 47 BALUSTRADE BOTTOM RAIL COVER CODE - WEIGHT KG/M -0.222
 150 10 ALUMINIUM BALUSTRADE PROFILE CODE - WEIGHT KG/M -1.810

FLASHING

Assembling Drawing



Technical Specifications



Moisture Defense:

Channels water away from vulnerable points around windows. Prevents leaks, rot, mold, and structural deterioration.

Improves Energy Efficiency:

Properly sealed windows help reduce air leaks, making it easier to maintain indoor temperature. That means lower heating and cooling bills.

Structural Longevity:
















Window flashing protects more than just the window — it shields the entire wall assembly. Prolongs the lifespan of structural framing, sheathing, and finishes by preventing repeated moisture exposure.

Protects Aesthetic Finishes:

Avoid stains, warped materials and paint peeling. Keeps interior and exterior finishes looking clean and professional.




Geeta Site Sample

GEETA ALUMINIUM FLASHING		
 ALUMINIUM FLASHING -01 CODE - FL-01 WEIGHT KG/M - 0.900	 ALUMINIUM FLASHING -02 CODE - FL-02 WEIGHT KG/M - 1.280	 ALUMINIUM FLASHING -03 CODE - FL-03 WEIGHT KG/M - 1.230
 ALUMINIUM FLASHING -04 CODE - FL-04 WEIGHT KG/M - 1.170	 ALUMINIUM FLASHING -05 CODE - FL-05 WEIGHT KG/M - 0.900	 ALUMINIUM FLASHING -06 CODE - FL-06 WEIGHT KG/M - 1.280
 ALUMINIUM FLASHING -07 CODE - FL-07 WEIGHT KG/M - 1.230	 ALUMINIUM FLASHING -08 CODE - FL-08 WEIGHT KG/M - 1.170	 ALUMINIUM FLASHING -09 CODE - FL-09 WEIGHT KG/M - 1.420
 ALUMINIUM FLASHING -09 CODE - FL-09 WEIGHT KG/M - 1.420	 ALUMINIUM FLASHING -11 CODE - FL-11 WEIGHT KG/M - 1.430	 ALUMINIUM SUBFRAME -01 CODE - WEIGHT KG/M - 2.035
 ALUMINIUM SUBFRAME -02 CODE - WEIGHT KG/M - 1.188	 ALUMINIUM SUBFRAME -03 CODE - WEIGHT KG/M - 0.860	 ALUMINIUM FLASHING COVER CODE - FLC-01 WEIGHT KG/M - 0.054


SUNSHADE SCREENS

Assembling Drawing



Seychelles Villa, South Africa


SUNSHADE SCREEN WINDOW PROFILE



ALUMINIUM LOUVERS PROFILE

CODE -

WEIGHT KG/M -0.571



ALUMINIUM 'C' TYPE LOUVERS FRAME

CODE -

WEIGHT KG/M - 0.291


Pleated Mesh

Assembling Drawing

SINGLE CENTRA

MAXIMUM SIZE LIMIT		MAXIMUM SIZE LIMIT	
WITH MESH OVERLAP		WITHOUT MESH OVERLAP	
WIDTH	HEIGHT	WIDTH	HEIGHT
2000mm	4000 mm	3000mm	3700 mm


Note: Max. Height and Width will be determined by the Height-Width Ratio



DOUBLE CENTRA

MAXIMUM SIZE LIMIT		MAXIMUM SIZE LIMIT	
WITH MESH OVERLAP		WITHOUT MESH OVERLAP	
WIDTH	HEIGHT	WIDTH	HEIGHT
3500mm	4000 mm	8000mm	3700 mm

Note: Max. Height and Width will be determined by the Height-Width Ratio




SERIES: PVL 22, PVL 29, PVL 39



Protection with Effortless Elegance:



The Pleated Mesh Series by Geeta Aluminium combines sleek design with everyday functionality. Its space-saving pleated mesh keeps insects and dust out while allowing fresh air and unobstructed views.

- ◆ Space-Saving Design: Neatly folds away for an unobstructed view.
- ◆ Smooth & Effortless: Easy one-hand operation for everyday convenience.
- ◆ Superior Protection: Durable mesh keeps insects and dust out while letting fresh air in.
- ◆ Premium & Durable: Custom-fit with corrosion-resistant frames and elegant finish options.



Geeta Site Sample

Assembling Drawing



Innovation moves quietly, and so do our motorized Zipline screens.

It blends automation, engineering and elegance to create an experience that transforms your space, without disrupting its stillness. With seamless motion, wind-resistant tautness, and intuitive smart control, your surroundings respond before you do.

- **Effortless Upkeep:** Dust-resistant, durable materials ensure long-lasting, low-maintenance performance.
- **Energy-Smart Comfort:** Blocks heat, reduces cooling load, keeps indoor climate naturally balanced.
- **Sustainable by Design:** Solar-compatible options for energy-efficient, low-maintenance performance.
- **Your Light, Your Way:** Choose from clear, diffused, or blackout screens, crafted for every mood and moment.
- **Adaptive Intelligence:** Weather sensors detect wind, sunlight, and rain. Let it adjust automatically for your optimal comfort and safety.
- **Boundless Versatility:** Perfect for large openings, facades, balconies, patios, and glass expanses.
- **Steady in Every Season:** Engineered to stay firm and smooth even against strong winds.
- **Insect Protection Built In:** A single system that shades your space while keeping insects and dust out.



Geeta Site Sample



GEETA Aluminium Company Pvt. Ltd.

D-5, Ansa Industrial Estate, Saki Vihar Road, Sakinaka,
Andheri (E), Mumbai - 400072

 +91 99201 56890  022-28471124  022-28474019

 enquiry@geetaaluminium.com  www.geetaaluminium.com

Follow Us On:   



Scan Here